



Indoor




Outdoor




Smart Lamps



Electricity





FL-10BC 3.000K

10W
POWER

1.000
lumen
Luminous Flux



FL-10BD 5.000K

10W
POWER

1.000
lumen
Luminous Flux



FL-10WC 3.000K

10W
POWER


1.000
lumen
Luminous Flux





FL-10WD 5.000K

10W
POWER

1.000
lumen
Luminous Flux



OuterBox Measures.
335mm x 315mm x 205mm
OuterBox content.
36 pcs
OuterBox Gross Weight.
12 kg



FL-20BC 3.000K

20W
POWER

2.000
lumen
Luminous Flux



FL-20BD 5.000K

20W
POWER

2.000
lumen
Luminous Flux



FL-20WC 3.000K

20W
POWER


2.000
lumen
Luminous Flux



FL-20WD 5.000K

20W
POWER

2.000
lumen
Luminous Flux



OuterBox Measures.
410mm x 260mm x 235mm
OuterBox content.
30 pcs
OuterBox Gross Weight.
10,3 kg

FL-30BC

3.000K

30W
POWER

3.000
lumen
Luminous Flux



FL-30BD

5.000K

30W
POWER

3.000
lumen
Luminous Flux



FL-30WC

3.000K

30W
POWER

3.000
lumen
Luminous Flux




FL-30WD


5.000K

30W
POWER

3.000
lumen
Luminous Flux



OuterBox Measures.
570mm x 335mm x 150mm
OuterBox content.
20 pcs
OuterBox Gross Weight.
8,6 kg



FL-50BC

3.000K

50W
POWER

5.000
lumen
Luminous Flux




FL-50BD

5.000K

50W
POWER


5.000
lumen
Luminous Flux



OuterBox Measures.
410mm x 350mm x 175mm
OuterBox content.
12 pcs
OuterBox Gross Weight.
8,8 kg



floodlight ●●●



FL-70BC

3.000K

70W
POWER

7.000
lumen
Luminous Flux




FL-70BD

5.000K

70W
POWER

7.000
lumen
Luminous Flux



OuterBox Measures.
415mm x 306mm x 246mm
OuterBox content.
5 pcs
OuterBox Gross Weight.
12,9 kg



FL-100BC

3.000K

100W
POWER

10.000
lumen
Luminous Flux




FL-100BD

5.000K

100W
POWER

10.000
lumen
Luminous Flux



OuterBox Measures.
335mm x 260mm x 270mm
OuterBox content.
3 pcs
OuterBox Gross Weight.
9,1 kg


ground sockets ●●●



FLS-AXPIN-170

Al
Aluminium

Bolts Included




OuterBox Measures.
380mm x 270mm x 270mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
4,7 kg



FLS-AXPIN-210

Al
Aluminium

Bolts Included



OuterBox Measures.
460mm x 270mm x 270mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
6,7 kg

●●● Sensor floodlight

FLS-10BC 3.000K

10W
POWER



1.000
Luminous Flux



FLS-10BD 5.000K

10W
POWER

1.000
Luminous Flux



OuterBox Measures.
410mm x 260mm x 235mm
OuterBox content.
30 pcs
OuterBox Gross Weight.
10,1 kg



FLS-30BC 3.000K

30W
POWER


3.000
Luminous Flux



FLS-30BD 5.000K

30W
POWER

3.000
Luminous Flux



OuterBox Measures.
570mm x 335mm x 150mm
OuterBox content.
20 pcs
OuterBox Gross Weight.
12,9 kg



FLS-50BC 3.000K

50W
POWER



5.000
Luminous Flux



FLS-50BD 5.000K

50W
POWER

5.000
Luminous Flux



OuterBox Measures.
410mm x 350mm x 175mm
OuterBox content.
12 pcs
OuterBox Gross Weight.
9,6 kg




●●● RGB floodlight


FL-10RGB Full Range + RGB

10W
POWER

1.000
Luminous Flux




OuterBox Measures.
410mm x 260mm x 235mm
OuterBox content.
30 pcs
OuterBox Gross Weight.
10,1 kg




FL-30RGB Full Range + RGB

30W
POWER

3.000
Luminous Flux



OuterBox Measures.
570mm x 335mm x 150mm
OuterBox content.
20 pcs
OuterBox Gross Weight.
12,9 kg



waterproof ●●●



TRI-6020C	3.000K	TRI-6020D	4.200K	TRI-6020F	6.400K
20W POWER	1.800 Luminous Flux	20W POWER	1.800 Luminous Flux	20W POWER	1.900 Luminous Flux
8033638773611		8033638773628		8033638773635	

OuterBox content: 4 pcs	OuterBox Gross Weight: 4,0 kg		

TRI-12040C	3.000K	TRI-12040D	4.200K	TRI-12040F	6.400K
40W POWER	3.400 Luminous Flux	40W POWER	3.400 Luminous Flux	40W POWER	3.500 Luminous Flux
8033638772096		8033638772102		8033638772119	

OuterBox content: 4 pcs	OuterBox Gross Weight: 6,6 kg		



TRI-15050C	3.000K	TRI-15050D	4.200K	TRI-15050F	6.400K
50W POWER	4.300 Luminous Flux	50W POWER	4.300 Luminous Flux	50W POWER	4.400 Luminous Flux
8033638772126		8033638772133		8033638772140	

OuterBox content: 4 pcs	OuterBox Gross Weight: 8,0 kg		

EASY & FAST LINK SYSTEM

Link-able | 60cm MAX "12" Pcs | 120cm MAX "8" Pcs | 150cm MAX "6" Pcs

waterproof LED-Ready ●●●



700gr

TRE-PC602W


White Body

PC
Body Material

PC
Cover Material



OuterBox Measures.
680mm x 215mm x 280mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
8,0 kg



1300gr

TRE-PC122W



White Body

PC
Body Material

PC
Cover Material



OuterBox Measures.
1280mm x 215mm x 280mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
14,5 kg



TRE-PC152W







White Body


PC
Body Material


PC
Cover Material




OuterBox Measures.
1580mm x 215mm x 280mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
18,0 kg



• Solo per tubi LED. Cablata per tubi led alimentati da un solo lato. 
 • Only for LED tubes. Wired for one side powered LED tubes.
 • nur für LED-Tubes. Für einseitig betriebene LED-Röhren verdrahtet.
 • Seulement pour les tubes à led. Câblé pour les tubes LED alimentés d'un côté.
 • Solo para tubos led. Cableado para tubos LED con alimentación por un lado.
 • Pouze pro ledové trubice. Kabelové pro LED diody s jednou stranou.





T806-10D 4.200K

10W POWER 900 lumen Luminous Flux

8059617679330

T806-10F 6.400K

10W POWER 940 lumen Luminous Flux

8059617679347

T8 - Ø26mm x L 600mm

120gr



OuterBox Measures.
700mm x 100mm x 230mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
3,0 kg

T809-15D 4.200K

15W POWER 1.100 lumen Luminous Flux

8059617670085

T809-15F 6.400K

15W POWER 1.200 lumen Luminous Flux

8059617670269

T8 - Ø26mm x L 900mm

180gr



OuterBox Measures.
700mm x 100mm x 230mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
3,0 kg

T812-18D 4.200K

18W POWER 1.700 lumen Luminous Flux

8059617679354

T812-18F 6.400K

18W POWER 1.780 lumen Luminous Flux

8059617679361

T8 - Ø26mm x L 1200mm

220gr



OuterBox Measures.
700mm x 100mm x 230mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
3,0 kg

T81524D 4.200K

24W POWER 2.300 lumen Luminous Flux

8059617679392

T815-24F 6.400K

24W POWER 2.400 lumen Luminous Flux

8059617679408

T8 - Ø26mm x L 1500mm

300gr



OuterBox Measures.
700mm x 100mm x 230mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
3,0 kg






SM-BAY100D

5.000K

100W
POWER

8.000
Luminous Flux



1950gr



OuterBox Measures.
680mm x 350mm x 300mm
OuterBox content.
4 pcs
OuterBox Gross Weight.
10,3 kg




SM-BAY150D

5.000K

150W
POWER


12.000
Luminous Flux



3250gr



OuterBox Measures.
410mm x 410mm x 320mm
OuterBox content.
2 pcs
OuterBox Gross Weight.
8,4 kg




SM-BAY200D

5.000K

200W
POWER

16.000
Luminous Flux




4550gr



OuterBox Measures.
470mm x 470mm x 330mm
OuterBox content.
2 pcs
OuterBox Gross Weight.
11,8 kg

Hi Power LED Lamps



E40



OuterBox Measures.
500mm x 390mm x 430mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
9,0 kg

M105-4070D

4.200K

70W
POWER

7.300
lumen
Luminous Flux



8059617670979

M105-4070F


6.400K

70W
POWER

7.400
lumen
Luminous Flux



8059617670986



E40



OuterBox Measures.
500mm x 390mm x 430mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
9,0 kg

M105-40100D

4.200K

100W
POWER

9.500
lumen
Luminous Flux



8059617670955

M105-40100F

6.400K

100W
POWER

9.500
lumen
Luminous Flux



8059617670962





DP-IP1206C 3.000K

6W POWER 600 lumen Luminous Flux

8056039330702

DP-IP1206D 4.000K

6W POWER 600 lumen Luminous Flux

8056039330719

DP-IP1206F 6.000K

6W POWER 600 lumen Luminous Flux

8056039330726



OuterBox Measures.
540mm x 180mm x 325mm
 OuterBox content.
40 pcs
 OuterBox Gross Weight.
7,3 kg

DP-IP17512C 3.000K

12W POWER 1.200 lumen Luminous Flux

8056039330733

DP-IP17512D 4.000K

12W POWER 1.200 lumen Luminous Flux

8056039330740

DP-IP17512F 6.000K

12W POWER 1.200 lumen Luminous Flux

8056039330757



OuterBox Measures.
375mm x 235mm x 325mm
 OuterBox content.
20 pcs
 OuterBox Gross Weight.
5,8 kg

DP-IP22518C 3.000K

18W POWER 1.800 lumen Luminous Flux

8056039330764

DP-IP22518D 4.000K

18W POWER 1.800 lumen Luminous Flux

8056039330771

DP-IP22518F 6.000K

18W POWER 1.800 lumen Luminous Flux

8056039330788



OuterBox Measures.
475mm x 255mm x 325mm
 OuterBox content.
20 pcs
 OuterBox Gross Weight.
8,0 kg

DP-IP30024C 3.000K

24W POWER 2.400 lumen Luminous Flux

8056039330795

DP-IP30024D 4.000K

24W POWER 2.400 lumen Luminous Flux

8056039330801

DP-IP30024F 6.000K

24W POWER 2.400 lumen Luminous Flux

8056039330818



OuterBox Measures.
640mm x 365mm x 325mm
 OuterBox content.
20 pcs
 OuterBox Gross Weight.
16,0 kg



DL-IS1206C 3.000K

6W POWER

600 Luminous Flux

8056039332157

DL-IS1206D 4.000K

6W POWER

600 Luminous Flux


8056039332164

DL-IS1206F 6.000K

6W POWER

600 Luminous Flux

8056039332171



OuterBox Measures.
345mm x 275mm x 370mm
 OuterBox content.
40 pcs
 OuterBox Gross Weight.
8,84 kg

DL-IS17012C 3.000K

12W POWER

1.200 Luminous Flux

8056039332188

DL-IS17012D 4.000K

12W POWER

1.200 Luminous Flux


8056039332195

DL-IS17012F 6.000K

12W POWER

1.200 Luminous Flux

8056039332201



OuterBox Measures.
465mm x 385mm x 370mm
 OuterBox content.
40 pcs
 OuterBox Gross Weight.
14,08 kg

DL-IS22018C 3.000K

18W POWER

1.800 Luminous Flux

8056039332218

DL-IS22018D 4.000K

18W POWER

1.800 Luminous Flux


8056039332225

DL-IS22018F 6.000K

18W POWER

1.800 Luminous Flux

8056039332232



OuterBox Measures.
480mm x 280mm x 370mm
 OuterBox content.
20 pcs
 OuterBox Gross Weight.
12,62 kg



CCT downlight ●●●




DLL-957CCT 3.000K / 4.000K / 6.000K

7W POWER

700 lumen Luminous Flux

8 056039331907




OuterBox Measures.
410mm x 320mm x 355mm
OuterBox content.
60 pcs
OuterBox Gross Weight.
10,0 kg

DLL-14514CCT 3.000K / 4.000K / 6.000K

14W POWER

1.400 lumen Luminous Flux

8 056039331914



OuterBox Measures.
610mm x 325mm x 380mm
OuterBox content.
40 pcs
OuterBox Gross Weight.
12,6 kg

DLL-24425CCT 3.000K / 4.000K / 6.000K

25W POWER

2.500 lumen Luminous Flux

8 056039331921



OuterBox Measures.
525mm x 510mm x 525mm
OuterBox content.
20 pcs
OuterBox Gross Weight.
14,5 kg





PF-6036D-GM **4.000K**


36W POWER **3,600** Luminous Flux

8056039330825

PF-6036F-GM **6.000K**

36W POWER **3,600** Luminous Flux

8056039330832



OuterBox Measures. **635mm x 170mm x 635mm**
 OuterBox content. **5 pcs**
 OuterBox Gross Weight. **5,6 kg**



PN-6040C-LF **3.000K**

40W POWER **4,000** Luminous Flux

8056039330672

PN-6040D-LF **4.000K**


40W POWER **4,000** Luminous Flux

8056039330689

PN-6040F-LF **6.000K**

40W POWER **4,000** Luminous Flux

8056039330696



OuterBox Measures. **635mm x 220mm x 665mm**
 OuterBox content. **5 pcs**
 OuterBox Gross Weight. **13,5 kg**

LED Ceiling ●●●



PL-R25015C 3.000K

15W POWER

1.500 lumen Luminous Flux

8056039331938

PL-R25015D 5.000K

15W POWER

1.500 lumen Luminous Flux

8056039331945



450gr



OuterBox Measures.
550mm x 285mm x 365mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
8,0 kg



PL-R38035C 3.000K

35W POWER

3.200 lumen Luminous Flux


8056039331952

PL-R38035D 5.000K

35W POWER

3.200 lumen Luminous Flux

8056039331969



675gr



OuterBox Measures.
730mm x 390mm x 400mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
12,0 kg



PL-S27515C 3.000K

15W POWER

1.500 Lumen Luminous Flux


8056039331976

PL-S27515D 5.000K

15W POWER

1.500 Lumen Luminous Flux


8056039331983



440gr



OuterBox Measures.
580mm x 305mm x 340mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
8,0 kg



PL-S37535C 3.000K

35W POWER

3.200 Lumen Luminous Flux


8056039331990

PL-S37535D 5.000K

35W POWER

3.200 Lumen Luminous Flux

8056039332003



870gr



OuterBox Measures.
730mm x 390mm x 400mm
OuterBox content.
10 pcs
OuterBox Gross Weight.
12,0 kg



LED Ceiling ●●●



20W Bluetooth
Sound Speaker



APP Controlled
iOS & Android


i-Link



PL-RGBSOUND25 Full Range + RGB

25W
POWER

2.500
lumen
Luminous Flux



OuterBox Measures.
580mm x 390mm x 370mm
OuterBox content.
5 pcs
OuterBox Gross Weight.
8,0 kg



LIGHTING SPECS

30,000h LIFESPAN	100-240Vac 50/60Hz INPUT VOLTAGE	25 W POWER	$\geq 0,90$ POWER FACTOR
2,500 lm LUMINOUS FLUX	2700K > 6000K R G B COLOR TEMP.	Ra80 C.R.I.	120° LIGHT BEAM
6% 100% DIMMABLE	$\geq 200,000$ ON/OFF CYCLES	60°C -20°C OPERATING TEMP.	70°C -40°C STOCK TEMP.
IP20 IP CLASS	IK03 IK CLASS	F FIRE CLASS	ELECTRIC P. CLASS
AL-PC BODY MATERIAL	DE3 1090326 WEEE	SDCM < 6.0 McADAM ELLIPSES	

SOUND SPEAKER SPECS

max 20W SOUND SPEAKER	4 OHM IMPEDANCE	< 1% Distortion icon"/> < 1% DISTORTION	87dB SENSIBILITY
> 80dB Signal/Noise icon"/> > 80dB SIGNAL/NOISE	40Hz > 18KHz FREQ. RANGE		

BLUETOOTH SPECS

4.0 BLUETOOTH VER.	2402-2480MHz BLUETOOTH FREQ.	4dBm BLUETOOTH POW.	max 10mt BLUET. RANGE
-----------------------	---------------------------------	------------------------	--------------------------

DIRECT DOWNLOAD QR CODES

i-Link	i-Link	
iOS	ANDROID	PDF

Control by APP

download the APP from the store



i-Link



iOS



ANDROID



connect device via bluetooth



launch the APP and connect the system



now you can control it...totally. Enjoy





A60-ACCT9 3.000K / 4.200K / 6.400K

9W POWER

800 lumen Luminous Flux




8056039331266



OuterBox Measures. **670mm x 120mm x 335mm**
OuterBox content. **60 pcs**
OuterBox Gross Weight. **5,4 kg**



45gr



50gr



A60-ADIM9C 3.000K

9W POWER

800 lumen Luminous Flux

8056039331259



OuterBox Measures. **670mm x 120mm x 335mm**
OuterBox content. **60 pcs**
OuterBox Gross Weight. **5,5 kg**



45gr

A60-RGB4 FULL RANGE + RGB

4W POWER

320 lumen MAX Luminous Flux

8056039331273



OuterBox Measures. **670mm x 120mm x 335mm**
OuterBox content. **60 pcs**
OuterBox Gross Weight. **6,3 kg**



- INPUT VOLTAGE**
220-240Vac
50/60Hz
- MAX DETECTION DISTANCE**
12m
- MAX DETECTION RANGE**
180°
- INFRARED DETECTING**
IR
- AMBIENT LIGHT** < 3 LUX - ADJUSTABLE
- DELAY TIME** 10" > 7' (3-28%) - ADJUSTABLE
- IP PROTECTION CLASS**
IP44
- OPERATING TEMPERATURE**
-20
+40
- DETECTION MOVING SPEED** 0.6 > 1.5 m/s



OuterBox Measures.
525mm x 230mm x 425mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
2,1 kg

SS-ST09 Infrared Switch Sensor

300W
MAX ELECTRIC

1200W
MAX HALOGEN



- INPUT VOLTAGE**
220-240Vac
50/60Hz
- MAX DETECTION DISTANCE**
8m
- MAX DETECTION RANGE**
360°
- MICROWAVE DETECTING**
MW
- AMBIENT LIGHT** < 3 LUX - ADJUSTABLE
- DELAY TIME** 10" > 12' (3-23%) - ADJUSTABLE
- IP PROTECTION CLASS**
IP20
- OPERATING TEMPERATURE**
-20
+40
- DETECTION MOVING SPEED** 0.6 > 1.5 m/s



OuterBox Measures.
675mm x 230mm x 275mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
8,4 kg

SS-ST700 Microwave Switch Sensor

1000W
MAX ELECTRIC

2000W
MAX HALOGEN



- INPUT VOLTAGE**
220-240Vac
50/60Hz
- MAX DETECTION DISTANCE**
8m
- MAX DETECTION RANGE**
360°
- MICROWAVE DETECTING**
MW
- AMBIENT LIGHT** < 3 LUX - ADJUSTABLE
- DELAY TIME** 5" > 10' (3-35%) - ADJUSTABLE
- IP PROTECTION CLASS**
IP20
- OPERATING TEMPERATURE**
-20
+40
- DETECTION MOVING SPEED** 0.6 > 1.5 m/s



OuterBox Measures.
220mm x 110mm x 170mm
OuterBox content.
100 pcs
OuterBox Gross Weight.
0,8 kg

SS-ST701F Microwave Switch Sensor

300W
MAX ELECTRIC

1200W
MAX HALOGEN






2x2.1A

AE-NLI-USB Automatic NightLight + USB

2W LIGHT POWER  230Vac 50/60Hz INPUT VOLTAGE  <10 lux Automatic-ON  8056039331938



OuterBox Measures.
615mm x 205mm x 550mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
7,0 kg



AE-NLI-AS Automatic NightLight

2W LIGHT POWER  230Vac 50/60Hz INPUT VOLTAGE  <10 lux Automatic-ON  8056039331938



OuterBox Measures.
615mm x 205mm x 550mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
7,0 kg



AE-NLI-MA Manual NightLight

2W LIGHT POWER  230Vac 50/60Hz INPUT VOLTAGE  Manual-ON  8056039331938



OuterBox Measures.
615mm x 205mm x 550mm
OuterBox content.
50 pcs
OuterBox Gross Weight.
7,0 kg

AE-SL34103MW Automatic NightLight

3600W POWER OUTLET	230Vac 50/60Hz INPUT VOLTAGE	<10 lux Automatic-ON	 8056039331709
0.8W LIGHT POWER	Rotate To Change Color WHITE / GREEN / BLUE	Schuko 2P+T 16A PLUG	Schuko 2P+T 16A SOCKET



OuterBox Measures.
400mm x 210mm x 330mm
OuterBox content.
48 pcs
OuterBox Gross Weight.
6,0 kg



AE-SL34203MW Automatic NightLight

3600W POWER OUTLET	230Vac 50/60Hz INPUT VOLTAGE	<10 lux Automatic-ON	 8056039331792
0.8W LIGHT POWER	Rotate To Change Color WHITE / GREEN / BLUE	France 2P+T 16A PLUG	France 2P+T 16A SOCKET



OuterBox Measures.
400mm x 210mm x 330mm
OuterBox content.
48 pcs
OuterBox Gross Weight.
6,0 kg



AE-502060

PLUG UNIVERSAL
MAX 2.500 WATT

SOCKET UNIVERSAL



8056039330863



OuterBox Measures.
400mm x 120mm x 330mm
Inner / OuterBox content.
12/48 pcs
OuterBox Gross Weight.
6,0 kg



AE-502061

PLUG UNIVERSAL
MAX 2.500 WATT

SOCKET UNIVERSAL



8056039330870



OuterBox Measures.
520mm x 280mm x 290mm
Inner / OuterBox content.
12/48 pcs
OuterBox Gross Weight.
7,8 kg



AE-SL153W

PLUG 2P+T SWISS
MAX 1.500 WATT

SOCKET 2P+T SCHUKO



8056039331495



OuterBox Measures.
450mm x 240mm x 270mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
8,0 kg



AE-SL1068W

PLUG 2P+T SWISS
MAX 1.500 WATT

SOCKET 2P+T SCHUKO



8056039331501



OuterBox Measures.
450mm x 240mm x 270mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
8,0 kg



AE-SL501002BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
2 x 2P 10A EURO



OuterBox Measures.
420mm x 220mm x 250mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
8,8 kg



AE-SL501003BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
3 x 2P 10A EURO



OuterBox Measures.
530mm x 270mm x 300mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
14,0 kg



AE-SL501004BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
4 x 2P 10A EURO



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg



AE-SL501005BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
2 x 2P 10A EURO
1 x 2P+T SCHUKO



OuterBox Measures.
440mm x 330mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
18,2 kg



AE-SL501006BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
2x 2P+T SCHUKO



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg



AE-SL501008BW

PLUG
2P+T SCHUKO
MAX 1.500 WATT

SOCKET
3 x 2P+T SCHUKO



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg

OuterBox Measures.
440mm x 250mm x 400mm
 Inner / OuterBox content.
1/40 pcs
 OuterBox Gross Weight.
13,3 kg



AE-SL3011031W

PLUG	2P+T FRENCH	SOCKET	3 x
	MAX 3.500 WATT		2P+T FRENCH
CABLE	H05VV-F	8056039331716	
	3G1.50mm ²		
	1,5 mt		



OuterBox Measures.
440mm x 290mm x 400mm
 Inner / OuterBox content.
1/40 pcs
 OuterBox Gross Weight.
14,9 kg



AE-SL3011041W

PLUG	2P+T FRENCH	SOCKET	4 x
	MAX 3.500 WATT		2P+T FRENCH
CABLE	H05VV-F	8056039331723	
	3G1.50mm ²		
	1,5 mt		



OuterBox Measures.
440mm x 340mm x 400mm
 Inner / OuterBox content.
1/40 pcs
 OuterBox Gross Weight.
15,8 kg



AE-SL3011051W

PLUG	2P+T FRENCH	SOCKET	4 x
	MAX 3.500 WATT		2P+T FRENCH
CABLE	H05VV-F	8056039331730	
	3G1.50mm ²		
	1,5 mt		



OuterBox Measures.
440mm x 440mm x 400mm
 Inner / OuterBox content.
1/40 pcs
 OuterBox Gross Weight.
18,6 kg



AE-SL3011061W

PLUG	2P+T FRENCH	SOCKET	4 x
	MAX 3.500 WATT		2P+T FRENCH
CABLE	H05VV-F	8056039331747	
	3G1.50mm ²		
	1,5 mt		





AE-SL601001W

PLUG 2P+T FRENCH
MAX 1.500 WATT

SOCKET 2 x
2P+T FRENCH



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg



AE-SL601002W

PLUG 2P+T FRENCH
MAX 1.500 WATT

SOCKET 2 x
2P+T FRENCH



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg



AE-SL601003BW

PLUG 2P+T FRENCH
MAX 1.500 WATT

SOCKET 2 x 2P+T FRENCH
1 x 2P 10A EURO



OuterBox Measures.
440mm x 290mm x 400mm
Inner / OuterBox content.
10/100 pcs
OuterBox Gross Weight.
17,2 kg



AE-SL601004BW

PLUG 2P+T FRENCH
MAX 1.500 WATT

SOCKET 3 x
2P+T FRENCH



OuterBox Measures.
530mm x 270mm x 300mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
14,0 kg



AE-SLWCO25W

PLUG 2P+T FRENCH
MAX 1.500 WATT

SOCKET 2P+T SCHUKO



OuterBox Measures.
450mm x 240mm x 270mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
8,5 kg



AE-SLWAS26W

PLUG 2P+T SCHUKO
MAX 1.500 WATT

SOCKET 2P+T FRENCH



OuterBox Measures.
450mm x 240mm x 270mm
Inner / OuterBox content.
10/200 pcs
OuterBox Gross Weight.
8,0 kg

OuterBox Measures.
485mm x 270mm x 315mm
 Inner / OuterBox content.
10/120 pcs
 OuterBox Gross Weight.
14,8 kg



AE-IP013

PLUG
 2P+T 16A 6h
 230V IP44



OuterBox Measures.
540mm x 285mm x 390mm
 Inner / OuterBox content.
10/120 pcs
 OuterBox Gross Weight.
14,9 kg



AE-IP014

PLUG
 3P+T 16A 6h
 415V IP44



OuterBox Measures.
420mm x 320mm x 330mm
 Inner / OuterBox content.
10/60 pcs
 OuterBox Gross Weight.
7,8 kg



AE-IP015

PLUG
 3P+N+T 16A 6h
 415V IP44



OuterBox Measures.
420mm x 320mm x 330mm
 Inner / OuterBox content.
10/60 pcs
 OuterBox Gross Weight.
7,9 kg



AE-IP024

PLUG
 3P+T 32A 6h
 415V IP44



OuterBox Measures.
480mm x 295mm x 340mm
 Inner / OuterBox content.
10/60 pcs
 OuterBox Gross Weight.
8,4 kg



AE-IP025

PLUG
 3P+N+T 32A 6h
 415V IP44



OuterBox Measures.
540mm x 285mm x 390mm
 Inner / OuterBox content.
10/120 pcs
 OuterBox Gross Weight.
14,8 kg



AE-IP213

SOCKET
 2P+T 16A 6h
 230V IP44



OuterBox Measures.
420mm x 320mm x 330mm
 Inner / OuterBox content.
10/60 pcs
 OuterBox Gross Weight.
7,8 kg



AE-IP214

SOCKET
 3P+T 16A 6h
 415V IP44






AE-IP215

SOCKET
3P+N+T 16A 6h
415V IP44



OuterBox Measures.
420mm x 320mm x 330mm
Inner / OuterBox content.
10/60 pcs
OuterBox Gross Weight.
7,8 kg



AE-IP224

SOCKET
3P+T 32A 6h
415V IP44



OuterBox Measures.
485mm x 340mm x 355mm
Inner / OuterBox content.
10/60 pcs
OuterBox Gross Weight.
8,5 kg



AE-IP225

SOCKET
3P+N+T 32A 6h
415V IP44



OuterBox Measures.
485mm x 340mm x 355mm
Inner / OuterBox content.
10/60 pcs
OuterBox Gross Weight.
8,8 kg



AE-IP1312W

PLUG
2P+T 16A
230V IP20

SOCKET
2x2P+T 10/16A
1x2P+T SCHUKO



OuterBox Measures.
530mm x 270mm x 335mm
Inner / OuterBox content.
10/120 pcs
OuterBox Gross Weight.
16,0 kg



AE-IP213012

PLUG
2P+T SCHUKO
230V IP20

SOCKET
2P+T 16A CEE



OuterBox Measures.
530mm x 270mm x 335mm
Inner / OuterBox content.
10/120 pcs
OuterBox Gross Weight.
13,0 kg



AE-IP1013W

PLUG
2P+T CEE
230V IP20

SOCKET
3x2P+T CEE



OuterBox Measures.
480mm x 280mm x 425mm
Inner / OuterBox content.
4/20 pcs
OuterBox Gross Weight.
12,0 kg